



# PANAGET

manufacture française de parquet  
DEPUIS 1929



Timeless natural hues

N° 1006159

## FRENCH OAK CLASSIC BOIS FLOTTÉ, DIVA 184 TONGUE & GROOVE / 14 MM

### Characteristics

**Species:** French oak **Origin:** France

**Grade:** **Classic** - light and dark wood, black knots, medular rays and traces of discolouration.

**Finish:** **Bois flotté** - brushed, matt lacquered with unfinished aspect / Ecostrong lacquer - Gloss: 4/6

### Design

Engineered extra-wide single plank made under the patent EN 13489  
Tongue & Groove



### Description

**Width:** 184 mm  
**Length:** 500 to 2000 mm  
**Thickness:** 14 mm  
**Top layer:** 3.4 mm  
**Core:** plywood  
**Counterbalance:** unrolled wood  
**Profile:** 4 bevels

### Packing

**Sqm/pack:** 1.84  
**Pack/pallet:** 44  
**Sqm/pallet:** 80.96  
**Weight/sqm:** 7.4 kg  
**Weight/pallet:** 599.1 kg

### Installation method





Floating glued  
installation under the  
patent DTU 51.11



Glue down installation  
under the patent DTU 51.2



Floating installation gluing T&G  
using plastic DPM and Isol 20 or  
fully glue down using Presto PM



PANAGET - 3 rue d'Orgères - 35230 Bourgbarré - FRANCE  
tel: +33 (0)2 99 05 77 77 // fax: +33 (0)2 99 57 73 55 // [www.panaget.com](http://www.panaget.com)

# DECLARATION OF PERFORMANCE

N° 1006159



**Unique identification code of the product-type:** Diva 184 Tongue & Groove, 14 mm, French oak

**Intended use/es:** Engineered single plank made under the patent EN 13489

Floating glued installation under the patent DTU 51.11

**Manufacturer:** PANAGET - 3 rue d'Orgères 35230 Bourgbarré / FRANCE

**System/s of Assessment and Verification of Constancy of Performance:** n°4

**Harmonised standard:** EN 14342 : 2013

## Declared performances:

| Essential features   | Performances                   | Appropriate Technical Documentation and/or Specific Technical Documentation |
|--|--------------------------------|---|
| Reaction of fire   | Dfl-s1                         | EN 14342 : 2013   |
| Features for this classification:<br>- Average minimum density (Kg/m3)<br>- Average thickness (mm)<br>- Intended use, fitting mode | 500<br>14<br>Floating fit      |   |
| Formaldéhyde emission  | E1                             |   |
| Content of pentachlorophenol   | PCP ≤ 5 ppm                    |   |
| Release of other dangerous substances:<br>- VOC* emissions (Decree No 2011-321)<br>- CMR 1&2** emissions (Decree n° DEV0910046A)   | Class A+<br>< 1µg/m³           | ISO 16000   |
| Breaking strength  | N/A                            | -   |
| Slipperiness   | N/A                            | -   |
| Thermal conductivity (W/m.K)   | 0.13                           | EN 14342 / Chapter 4.7  |
| Thermal resistance (m2.K/W)  | 0.11                           |   |
| Biological sustainability  | Class 1                        | EN 335  |
| RE2020 - Building Carbon Index   | 3 kg.CO <sub>2</sub> /m²       | -   |
| FDES 2022 - Life Cycle impact assessment   | 8.6 kg éq. CO <sub>2</sub> /m² | -   |

N/A : Not Applicate

\*VOC: Volatile Organic Compounds

\*\*CMR 1&2: Carcinogenics, Mutagens or Reproductive toxin of 1&2 category

The performances of product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regluation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

Signed for and behalf of the manufacturer by: Carole François - Executive Director

Bourgbarré, 15 december 2023

**Carole FRANÇOIS**

3 rue d'Orgères - 35230 Bourgbarré - FRANCE / tel: +33 (0)2 99 05 77 77 - fax: +33 (0)2 99 57 73 55

Entreprise dont le système qualité a été **certifié ISO 9001** par Bureau Veritas Certification.

SAS au capital de 4 957 200 € - RCS Rennes B 402 853 220 - Siret : 402 853 220 000 34 - APE : 1622 Z - n° TVA : FR 0640 2853220

[www.panaget.com](http://www.panaget.com)